



Product Guide

Updated February 2024

Welcome

Since our creation in 2009, Brushy Creek Custom Doors has constantly strived to manufacture custom cabinet products with exceptional quality, provide industry best lead-times, and do it all at a competitive price. We want to surpass your expectations by providing friendly and trustworthy customer service that is second to none.

Our state-of-the-art manufacturing facility uses CNC automation, along with barcode part tracking to assure your order is made exactly to your specifications and always shipped accurate and complete.

We look forward to building a long-term service-oriented relationship that will add value to your business. If I can be of any assistance to you, please give me a call at (864)877-9119 or email me at bobc@bccdoors.com.

Best Regards,

Bob Carter President

Brushy Creek Custom Doors



Contents

Ordering	4
Product Information	6
3D Laminate Doors/Drawer Fro	<u>onts</u>
- Shaker Panel Profiles	7
- Raised Panel Profiles	10
- Contemporary Profiles	14
- Options	15
Specialty Products	18
Accessories & Molding	20
3D Laminates & Matches	24

Ordering Information

Order Forms

For clarity and efficiency, please use the order forms supplied by Brushy Creek Custom Doors. These forms can be obtained from our sales department or downloaded from our website: www.bccdoors.com.

Placing Orders

For each order, please fill out all fields in the order form and email or fax to:

Brushy Creek Custom Doors Fax: (864)877-9194

Email: customerservice@bccdoors.com

Customer Service

Customer service representatives are available by email at customerservice@bccdoors.com or by phone at (864)877-9119, Monday through Thursday 8:00 a.m. until 5:00 p.m. and Friday 8:00 a.m. until noon.

New Accounts

Orders must be prepaid on all new accounts. Prepaid orders will not be placed into production until payment has been received. To open an account, please submit a completed Customer Information Sheet. Upon receipt, a customer service representative will contact you with details regarding your account.

Order Confirmations

Orders are accepted 24 hours a day. Confirmations are normally emailed or faxed within 24 hours of our receipt of your order. If no confirmation is received after 48 hours, please call us to verify that we have received your order. Please check your confirmation for accuracy and call us within 24 hours to make any necessary changes.

Changes and/or Cancellations

Changes or cancellations must be received in writing and will be acknowledged upon receipt. These must be received within 24 hours from receipt of confirmation. Once the order has been placed into production, any changes or cancellations will be at the customer's expense.

On-Line Ordering

After a Customer Information Sheet has been submitted to our customer service team, each customer has the option to place their orders on-line through our portal. Please contact our customer service team if you prefer to order on-line and they will email the instructions to get set-up on the portal and begin ordering on-line.

Rush Orders

Rush orders will be accepted whenever possible. A 20% charge will be added to each rush order. These orders are considered firm and no changes can be made once the order has been placed and cancellations or changes will be at the customer's expense. Certain door styles and colors cannot be rushed due to production time and material availability so please contact us before ordering.

Invoices / Payments

A final invoice will be mailed, faxed, or e-mailed to you. Payment is expected to be made to Brushy Creek Custom Doors within the terms of your account. We accept payments via money order, cashier's check, company check (approved by our credit department), VISA, MasterCard, Discover Card, or American Express.

Samples

A limited quantity of sample doors and/or drawer fronts are available at no charge. Large sample orders will be supplied at a discount. Please contact our sales department with your specific request.

Lead Times

The lead time for standard door styles and colors is 10 business days. True square corner and Jefferson panel profiles may require longer production time. Contact our customer service department for any special needs that you may have.



Ordering Information

Packaging

We package and ship our product according to the size and quantity of each order. If you have special packaging requirements, please contact our customer service department with details.

Delivery Methods & Charges

All prices are FOB Greer, SC. Typically, small orders are shipped via UPS. Large orders are shipped on skids via common carrier to a specified address or held at the carrier's terminal for pickup. Please indicate when ordering if you have special receiving requirements for your delivery. Deliveries made to residential locations will incur additional charges by UPS and common carriers.

Pickup orders must be claimed within five days of the scheduled due date. A storage fee of up to \$50 per month may be added to orders left over 30 days and Brushy Creek is not responsible for orders left beyond the scheduled due date

Shipping Damage

When a shipment arrives at your location, examine the packaging carefully. If there is evidence of damage or you suspect that there may be hidden damage, open the package immediately in the driver's presence. If you find damage, note it on the shipping document. Do not let the driver leave until you have done so. If you do not have time to inspect your product when it arrives, note on delivery receipt that you did not inspect it. You must inspect the product within 24 hours and notify customer service of any damage claim.

Order Discrepancy / Reworks

Please inspect your entire order to ensure that the condition of your product is acceptable and that the quantity and sizes agree with your order confirmation. If there are any discrepancies or quality issues, please report them to us immediately.

In the event that you receive defective or incorrect product, contact us immediately. You will be asked to provide a brief description, picture of the damage and label, and the date that your order was received along with the order number for reference. We will ship remakes at no charge via regular shipping within three business days. We may request the faulty product be returned for inspection.

Order Receipt

Brushy Creek Custom Doors strives to ship all orders accurately and on time. We make every effort to ensure all orders are produced correctly. However, final inspection of the product is the responsibility of the customer upon receipt.





Product Information

Board Specifications

The highest quality double-refined Medium Density Fiberboard (MDF) is used to provide a smooth surface and superior rout quality on all parts that we manufacture. The back of your parts can be a raw MDF surface, white melamine, or a melamine that is a match to many of the 3D Laminates stocked.

3D Laminate Specifications

We offer a wide selection of 3D Laminates that include several variations of whites, vibrant and contemporary solid colors, realistic wood grains, metallics, abstracts, and exotics. Our 3D Laminates are purchased from reliable, industry-recognized manufacturers. Upon arrival at our facility, each roll of laminate is tested for consistency in color and texture.

Design Specifications

All doors and drawer fronts are 3/4" thick. Standard rails and stiles are 2 1/2" wide on doors. On raised or recessed panel drawer fronts the standard left and right stiles are 2 1/2" wide and the top and bottom rails are 1 1/2" wide. Doors and drawer fronts are manufactured to within +/- 1/32" of the size that you order. Door and drawer front min sizes: 5 1/2" wide x 5 1/2" high (profile permitting). Door and drawer front max sizes: 48" wide x 96" high.

Cleaning

For routine cleaning of 3D Laminated surfaces, use a mixture of warm water (99%) and a mild, nonabrasive dish washing detergent (1%). Using a clean cotton or microfiber cloth saturated with this mixture, wipe in a vertical direction while applying light pressure. To disinfect 3D Laminated surfaces, a solution of water (90%) and bleach (10%) is recommended. DO NOT USE abrasive detergents, vinegar-based cleaners, furniture polish, ammonia, lacquer thinner, or any product with acetone, as these may damage the surface of the 3D Laminate. Also, avoid abrasive brushes or scrubbing pads, as they will scratch the surface. Brushy Creek Custom Doors is not responsible for any damage that is caused by abrasive cleaning agents or processes.

Heat Advisory


Because of the effect high heat can have on 3D Laminate products, you must allow adequate room or install a non-3D Laminate filler between 3D Laminate doors / drawers and any stove or oven. Also, advise homeowners to open all doors & fronts near an oven when (1) operating the self-cleaning mode, (2) broiling with the oven door open, or (3) boiling for a significant period of time. This should allow excess heat to vent away from the doors and drawers, reducing the chance of damage. Obvious heat related damage will void any warranty provided by Brushy Creek.

Warranty

MDF & 3D Laminate products that are manufactured and/or sold by Brushy Creek Custom Doors are warranted against defects in the manufacturing process for a period of **5 years** from the date of the original invoice. Complete warranty information, including all terms and conditions, is contained in our Warranty Certificate that is available via download from our website: www.bccdoors.com or via mail by contacting a customer service representative.



Shaker Panel Profiles











Shaker Panel Profiles

DEEP MISSION



WIDE MISSION








CAROLINA MISSION











BRUNSWICK MISSION







Shaker Panel Profiles

COTTAGE MISSION












COTTAGE DOUBLE BEAD





SHAKER MISSION



2.50" —








HANCOCK MISSION










NEW YORK






COLUMBIA










CHARLESTON










ACCORD









CAROLINA





0.276" deep, 1.339" wide

Frame



HEARTLAND





Door / Drawer Front

0.394" deep, 1.516" wide



CAPTIVA






Door / Drawer Front 0.394" deep, 1.516" wide






GREENVILLE











WILMINGTON





Door / Drawer Front


0.346" deep, 1.378" wide

Frame



ATLANTA







COLONIAL





Door / Drawer Front

0.394" deep, 1.772" wide


Frame

1 0.3125"



STANDARD











SOLO-CUT









CONTOUR












Contemporary Profiles










Options

OUTER EDGE PROFILES





 ${}^{\scriptscriptstyle L}\!Boring$ for Concealed Hinges must be no Less than 6mm Offset from Side of Door.


MDF MELAMINE BACKS




Panel Options

FINGER PULLS


- ♦ Standard pull is 4" or 6" wide and centered.
- ♦ 7/16" high and 3/16" deep into the edge (11mm x 5mm).
- ♦ Specify top or bottom edge when ordering.
- ♦ Non-standard pull sizes and locations available for an additional charge.



HINGE BORING




Hinge Boring Specs in mm:



Hinge boring is available for the concealed hinges using the **Blum** boring pattern. (Standard bore is 79mm from top/bottom edge to center of hole, is with dowel holes, and is at a 3mm (frame) or a 6mm (frameless) offset (side edge to cup hole). Please indicate boring location in the changes column on the order form (bore left or bore right).




Panel Options



MULTIPLE PANELS / MISC OPTIONS

- ♦ Non-standard rails or stiles are available for an additional charge. Special edging (1, 2, or 3 sides only) is available for an additional charge.
- Multi-panels and wainscoting panels are available for an additional charge per panel added. Ordering instructions and specifications are given below:



Order as doors. Indicate your specifications in the changes column on the order form regarding number, size & location of panels, rail & stile sizes, and any special edging required.

- ♦ 2 1/2" rails & stiles and 3" panel divider rails & stiles are standard unless otherwise specified
- ♦ Panels will be divided equally unless otherwise specified.
- Multi-panel edging will match other doors unless otherwise specified.



Specialty Products

CUSTOM TOPS

Closet Islands, Desks, & Tables

Available in 1 inch and 1 1/8-inch MDF



Mudroom Benches



Office Desks



Available in Solids, Wood Grains, Textures & Marbles

Please contact customer service for a quotation or additional information

CUSTOM HEALTHCARE COMPONENTS

Full capability to manufacture healthcare furnishing components to your specifications including:

- Headboards
- Footboards
- Doors & Drawer Fronts
- Overbed Tables
- Medical Carts
- Spill Proof Trays




Please contact customer service for a quotation or additional information

FRAMES

Available in 1, 4, 6, and 8 panes

Frames are available routed or not routed on the back to receive your glass. Please specify your choice. The back rout is 5/16" deep by 9/16" wide and the routed area is unfinished.



The default for the corners of the back rout are rounded but can squared upon request.





MISSION FRAME

(Mission/Shaker Mission/Deep Mission)

MISSION #3 FRAME

AUGUSTA MSSION FRAME



CAROLINA FRAME (Carolina / Carolina Mission)



COTTAGE FRAME (Cottage Mission / Cottage DB)



BRUNSWICK FRAME



NEW YORK FRAME (New York / Accord)



CAPTIVA FRAME




ST AUGUSTINE FRAME






BOTTLE RACKS


- ♦ Sold in pairs, priced per piece.
- ♦ 3 1/2" openings.
- ♦ Available in 5, 8, or 11 openings
- Minimum sizes shown. Custom sizes will add to rails & stiles (Minimum 2" rails & stiles.)



VALANCES


Please note: The arch rise is always 1 1/2" high in the center on both the Arch and Scalloped Valances. Drawings shown are not to scale, especially for longer valances. Custom design, including custom rise, must be requested, and is available for an additional fee.





A square outside edge will be applied to valances, unless you very clearly specify different edging instructions on the order form.

FLUTED ACCENT PIECES



- When ordering Fluted Accent Pieces you must specify type of flute, # of flutes per piece, and the size of top and bottom rails.
- The size of the flute must remain as specified in the drawings shown.
- A square outside edge will be applied, unless very clearly specified.
- ♦ Maximum size 48" x 96"
- Minimum sizes Wide Flute: 4" w x 6" h & 2 flutes,
 Designer Flute: 4" w x 6" h & 3 flutes,

Narrow Flute: 2 3/4" w x 6" h & 3 flutes.

MOLDINGS

Moldings are sold in 7' 9" lengths to all freight customers. Molding are sold in 8 ft. lengths to all non-freight customers. All pictures are for illustration only and are not shown to scale.



2-5/8" Crown



3-5/8" Crown



4-3/8" Crown



4-3/8" Cove Crown



4" Top Mount Crown



4" Shaker Top Mount



2-1/2" Traditional Base



4" Traditional Base



2-1/8" Scribe



11/16" Quarter Round



1-1/2" Double Beaded





HINGES & PLATES

CLIP top BLUMOTION Hinge 110°



Clip hinge with dowel	Product number: 71B358180
Use Type	Standard Door
Cabinet Type	Frame or Frameless
Milling Depth	1/2 inch
Closing Mechanism	Soft-Closing



Chip hinge with inserta	Product number: 71B359180
Use Type	Standard Door
Cabinet Type	Frame or Frameless
Milling Depth	1/2 inch
Closing Mechanism	Soft-Closing

CLIP top Hinge 110°



Clip hinge with dowel	Product number: 71T358180
Hinge Type	Clip top
Use Type	Standard Door
Cabinet Type	Frame or Frameless
Door Thickness	Min 5/8 inch



Clip hinge with inserta	Product number: 70T359180
Hinge Type	Clip top
Use Type	Standard Door
Cabinet Type	Frame or Frameless
Door Thickness	Min 5/8 inch

Cam Adapter Plate, Center Mount



Туре	Insert Face Frame
Fixing Type	Screw-On
0 mm Face Frame Mount	Product Number: 175H600180
3 mm Face Frame Mount	Product Number: 175H603180
6 mm Face Frame Mount	Product Number: 175H606180

Self-Adhesive Polyurethane Bumper - 12.7mm x 3.5 mm



Neoprene bumper sold by the sheet	Product Number: BP032111
Diameter	0.5 inch
Thickness	0.138 inch
Pieces per sheet	200

Wood Screw, Flat Head, Phillips Drive, Coarse Thread, Regular Wood Point





5/8" wood screws	Product Number: FPCN658PRM1
Head Type	Flat
Sold by box	Qty 1000

All images on this page are © Richeliew Hardware Ltd 1968



HINGES & PLATES

COMPACT BLUMOTION 38N Hinge 105° - Soft Close



Overlay	Product Number:
3/8 inch	38N358B06180
1/2 inch	38N358B08180
3/4 inch	38N358B12180

COMPACT 38N Hinge 105° Self Closing



Overlay	Product Number:
3/8 inch	38N35806180
1/2 inch	38N35808180
3/4 inch	38N35812180

CORNER CABINET HINGES

CLIP top Hinge 170° Self Closing



	Product Number:
Clip Top Hinge	71T658180
Milling Diameter	1 3/8 inch
Hinge Opening Angle	+ 170 degrees
Door Thickness	Min 5/8 inch

CLIP top Hinge 170° Inserta design Self Closing



Clip Top Hinge	Product Number: 71T654180
Milling Diameter	1 3/8 inch
Hinge Opening Angle	+ 170 degrees
Door Thickness	Min 5/8 inch

CLIP top Hinge 60° Bi-Fold Spring Closing



	Product Number:
Clip Top Hinge	79T853180
Cabinet Type	Frameless
Door Thickness	Min 5/8 inch
Door Position	Corner/Bi-Fold

All images on this page are © Richeliew Hardware Ltd 1968



SOLIDS & MARBLES

PG = Pricing Group

287-Matte White PG.C						PG = Pricing Group
489-Ivory 609-Roja 675-Taupe Grey 614-Ashen 676-Pebble Grey 676-Pebble Grey 676-Pebble Grey 676-Pebble Grey 676-Pebble Grey 677-Cubanit Grey 677-Cubanit Grey 677-Cubanit Grey 677-Cubanit Grey 677-Cubanit Grey 677-Cubanit Grey 678-Pebble G						639-Soft White
615-Fossil 615-Fossil 630-Conifer PG:C 671-Duke 671-Duke 671-Duke 672-Folkstone Grey PG:C 673-Misty Blue PG:C 674-Indigo Blue PG:C 672-Dust Grey 672-Dust Grey 672-Dust Grey 672-Dust Grey 673-Misty Blue 674-Indigo Blue 675-Dust Grey 675-Dust Grey 676-C 676-Dust Grey 677-Dust Grey 677-Dust Grey 678-Dust Grey 6				·		002-Almond
630-Conifer 630-Conifer 671-Duke 671-Duke 672-Duke 673-Misty Blue 673-Mi						614-Ashen PG: C
674-Indigo Blue PG: C PG						411-Matte Viridian PG: C
PG: C PG: C PG: C PG: B PG: C						387-Mt. Mysterious
The state of the s						284-Cool Grey
			The second secon			653-Storm PG: C
481-Graphite Grey PG: D O12-Carbon Fiber PG: D 410-Matte Black PG: C 334-Ebony Starlight PG: D O09-Black PG: B	663-Charcoal		\$551555555555555111555555555555555555			009-Black
	PG: D	PG: D	PG: D	PG: D	PG: D	417-Graphite Marble



COMPLEMENTRY COLORS FOR ARAUCO PRISM TFL

<u>www.prismTFL.com</u> <u>araucona.marketing@arauco.com</u>







COMPLEMENTRY COLORS FOR ARAUCO PRISM TFL

<u>www.prismTFL.com</u> araucona.marketing@arauco.com





COMPLEMENTRY COLORS FOR EGGER TFL


www.egger.com USA@egger.com

003-Alpine White W1100 Alpine White	623 – Ontario White W1050 Coastal White PG: B	639-Soft White W1000 Premium White PG: B	025-Folkstone Grey U779 Fog Grey	333-Fog Grey U765 Silver Grey
O Dtions & C	White	White	White Folkstone Grey	White Fog Grey
672-Dust Grey U732 Dust Grey	684-Monument Grey U780 Monument Grey PG: D	480-Fjord Green U636 Fjord Green PG: D	492-Celadon U604 Reed Green PG: C	678-Rusty Red U335 Rusty Red PG: C
X S S White Fog Grey Black	White Fog Black	White	White Black Celadon	White
673-Misty Blue U502 Misty Blue PG: C	674-Indigo Blue U599 Indigo Blue PG: C	614-Ashen U727 Stone Grey PG: C	675-Taupe Grey U750 Taupe Grey	646-Cashmere U702 Cashmere Grey
we do with the Black Matte Mysterious	White Black Matte Mysterious	White	White Willow	White Willow
637-Quarry U201 Pebble Grey	677-Cubanit Grey U767 Cubanit Grey PG: C	653-Storm U963 Diamond Grey PG: C	481-Graphite Grey U961 Graphite Grey PG: C	009-Black U999 ST7 Black PG: B
White Willow	White	White Black	White Black	White Black



COMPLEMENTRY COLORS FOR EGGER TFL

www.egger.com USA@egger.com





COMPLEMENTRY COLORS FOR FUNDER TFL

www.funderamerica.com

	021-Designer White 4991 Noble White	450- Glacier White 4941 Nova White	026-Frosty White 4971 McKinley White	067-Bisque 4607 Bisque	002-Almond 2823 Almond
	PG: B	PG: B	PG: B	PG: B	PG: B
Back Options	White	White	White	White Antique White	White Antique White
	025-Folkstone Grey 4955 Folkstone	284-Cool Grey L763 Morning Dew	333-Fog Grey 4128 Fog PG: C	009-Black 4107 Black PG: B	301-Blanca Elme D793 Blanca Elme
Back Options	White Folkstone Grey	White	White Fog Grey	White Black	White Antique White
	303-Campania Elme D669 Campania Elme	113-Hudson Cherry 4222 Hudson Cherry PG: D	100-Milano Grey D233 Tenino Grey PG: D	092-Country Maple 4692 Country Maple	302-Tuscani Elme D658 Tuscani Elme
Back Options	White Campania Elme	White Black Hudson Cherry	White Black	White Hardrock Maple	White Antique White
	305-Rococo Elme D747 Rocco Elme	69-Autumn Walnut D337 Autumn	015-Caramel Apple 4365 Honey Apple	049-Sienna Wild Apple 4364 Cognac	055-Summer Flame 4388 Wild Apple
Back Options	White Rocco	White	White Caramel Apple	White Summer Flame	White Summer Flame
	117-Clark Cherry 4213 Clark Cherry PG: C	116-Lewis Cherry 4214 Lewis Cherry PG: C	018-Chocolate Apple 4363 Chocolate Pear PG: C	062-Espresso 4498 Espresso PG: C	063-Mocha 4454 Mocha PG: C
Back Options	White Black	White Black Mocha	White Black Chocolate Apple	White Black Chocolate Apple	White Black Mocha
	608-Carolina Oak 545 Carolina Oak	606-Highlands Oak 548 Highlands Oak	607-Charleston Oak 549 Charleston Oak PG: D	522-Naples 5843 Naples <i>PG: D</i>	503-Williamsburg Oak 558 Williamsburg Oak PG: D
Back Options	White Folkstone Grey	White Highlands Oak	White Charleston Oak	White Naples	White Black Williamsburg Oak



COMPLEMENTRY COLORS FOR KRONOSPAN TFL


www.kronospan.com/en

646-Cashmere 5981 Cashmere	614-Ashen K096 Clay Grey	615-Fossil 6299 Cobalt Grey	480-Fjord Green K097 Dusk Blue	647-Sel Walnut K458 Lk Walnut Sel PG: C
White Willow	White Black	White Black	White	White Folkstone Urban
654-Smoke Green K521 Smoke Green PG: C	648-Gris K459 Lk Walnut Gris PG: C	650-Oatfield K448 Lk Walnut Oatfield PG: C	651-Cocoa Walnut K447 Lk Walnut Cocoa PG: C	649-Mineral K457 Mineral PG: C
Mhite Black Celadon	White	White Antique White	White	White Black Williamsburg Oak



COMPLEMENTRY COLORS FOR ROSEBURG TFL

www.roseburg.com






29

Customer Service: (864) 877-9119



COMPLEMENTRY COLORS FOR TAFISA TFL


www.tafisa.ca/en.com tafisa@tafisa.ca





COMPLEMENTRY COLORS FOR TAFISA TFL


www.tafisa.ca/en.com tafisa@tafisa.ca





COMPLEMENTRY COLORS FOR UNIBOARD TFL

www.uniboard.com/en





31

Customer Service: (864) 877-9119





3383 Brushy Creek Road
Greer, South Carolina 29650
(864)877-9119
customerservice@bccdoors.com