



Product Guide

Updated August 2023

Welcome

Since our creation in 2009, Brushy Creek Custom Doors has constantly strived to manufacture custom cabinet products with exceptional quality, provide industry best lead-times, and do it all at a competitive price. We want to surpass your expectations by providing friendly and trustworthy customer service that is second to none.

Our state-of-the-art manufacturing facility uses CNC automation, along with barcode part tracking to assure your order is made exactly to your specifications and always shipped accurate and complete.

We look forward to building a long-term service-oriented relationship that will add value to your business. If I can be of any assistance to you, please give me a call at (864)877-9119 ext. 202 or email me at bobc@bccdoors.com.

Best Regards,

Bob Carter President

Brushy Creek Custom Doors



Contents

Ordering	4
Product Information	6
3D Laminate Doors/Drawer From	<u>onts</u>
- Shaker Panel Profiles	7
- Raised Panel Profiles	10
- Contemporary Profiles	14
- Options	15
Specialty Products	18
Accessories & Molding	20
3D Laminates & Matches	24
Solid Wood Products	31

Ordering Information

Order Forms

For clarity and efficiency, please use the order forms supplied by Brushy Creek Custom Doors. These forms can be obtained from our sales department or downloaded from our website: www.bccdoors.com.

Placing Orders

For each order, please fill out all fields in the order form and email or fax to:

Brushy Creek Custom Doors Fax: (864)877-9194

Email: customerservice@bccdoors.com

Customer Service

Customer service representatives are available by email at customerservice@bccdoors.com or by phone at (864)877-9119, Monday through Thursday 8:00 a.m. until 5:00 p.m. and Friday 8:00 a.m. until noon.

New Accounts

Orders must be prepaid on all new accounts. Prepaid orders will not be placed into production until payment has been received. To open an account, please submit a completed Customer Information Sheet. Upon receipt, a customer service representative will contact you with details regarding your account.

Order Confirmations

Orders are accepted 24 hours a day. Confirmations are normally emailed or faxed within 24 hours of our receipt of your order. If no confirmation is received after 48 hours, please call us to verify that we have received your order. Please check your confirmation for accuracy and call us within 24 hours to make any necessary changes.

Changes and/or Cancellations

Changes or cancellations must be received in writing and will be acknowledged upon receipt. These must be received within 24 hours from receipt of confirmation. Once the order has been placed into production, any changes or cancellations will be at the customer's expense.

On-Line Ordering

After a Customer Information Sheet has been submitted to our customer service team, each customer has the option to place their orders on-line through our portal. Please contact our customer service team if you prefer to order on-line and they will email the instructions to get set-up on the portal and begin ordering on-line.

Rush Orders

Rush orders will be accepted whenever possible. A 20% charge will be added to each rush order. These orders are considered firm and no changes can be made once the order has been placed and cancellations or changes will be at the customer's expense. Certain door styles and colors cannot be rushed due to production time and material availability so please contact us before ordering.

Invoices / Payments

A final invoice will be mailed, faxed, or e-mailed to you. Payment is expected to be made to Brushy Creek Custom Doors within the terms of your account. We accept payments via money order, cashier's check, company check (approved by our credit department), VISA, MasterCard, Discover Card, or American Express.

Samples

A limited quantity of sample doors and/or drawer fronts are available at no charge. Large sample orders will be supplied at a discount. Please contact our sales department with your specific request.

Lead Times

The lead time for standard door styles and colors is 2 weeks. True square corner and Jefferson panel profiles may require longer production time. Contact our customer service department for any special needs that you may have.



Ordering Information

Packaging

We package and ship our product according to the size and quantity of each order. If you have special packaging requirements, please contact our customer service department with details.

Delivery Methods & Charges

All prices are FOB Greer, SC. Typically, small orders are shipped via UPS. Large orders are shipped on skids via common carrier to a specified address or held at the carrier's terminal for pickup. Please indicate when ordering if you have special receiving requirements for your delivery. Deliveries made to residential locations will incur additional charges by UPS and common carriers.

Pickup orders must be claimed within five days of the scheduled due date. A storage fee of up to \$50 per month may be added to orders left over 30 days and Brushy Creek is not responsible for orders left beyond the scheduled due date

Shipping Damage

When a shipment arrives at your location, examine the packaging carefully. If there is evidence of damage or you suspect that there may be hidden damage, open the package immediately in the driver's presence. If you find damage, note it on the shipping document. Do not let the driver leave until you have done so. If you do not have time to inspect your product when it arrives, note on delivery receipt that you did not inspect it. You must inspect the product within 24 hours and notify customer service of any damage claim.

Order Discrepancy / Reworks

Please inspect your entire order to ensure that the condition of your product is acceptable and that the quantity and sizes agree with your order confirmation. If there are any discrepancies or quality issues, please report them to us immediately.

In the event that you receive defective or incorrect product, contact us immediately. You will be asked to provide a brief description, picture of the damage and label, and the date that your order was received along with the order number for reference. We will ship remakes at no charge via regular shipping within three business days. We may request the faulty product be returned for inspection..

Order Receipt

Brushy Creek Custom Doors strives to ship all orders accurately and on time. We make every effort to ensure all orders are produced correctly. However, final inspection of the product is the responsibility of the customer upon receipt.





Product Information

Board Specifications

The highest quality double-refined Medium Density Fiberboard (MDF) is used to provide a smooth surface and superior rout quality on all parts that we manufacture. The back of your parts can be a raw MDF surface, white melamine, or a melamine that is a match to many of the 3D Laminates stocked.

3D Laminate Specifications

We offer a wide selection of 3D Laminates that include several variations of whites, vibrant and contemporary solid colors, realistic wood grains, metallics, abstracts, and exotics. Our 3D Laminates are purchased from reliable, industry-recognized manufacturers. Upon arrival at our facility, each roll of laminate is tested for consistency in color and texture.

Design Specifications

All doors and drawer fronts are 3/4" thick. Standard rails and stiles are $2\ 1/2$ " wide on doors. On raised or recessed panel drawer fronts the standard left and right stiles are $2\ 1/2$ " wide and the top and bottom rails are $1\ 1/2$ " wide. Doors and drawer fronts are manufactured to within +/- 1/32" of the size that you order. Door and drawer front min sizes: $5\ 1/2$ " wide x $5\ 1/2$ " high (profile permitting). Door and drawer front max sizes: 48" wide x 96" high.

Cleaning

For routine cleaning of 3D Laminated surfaces, use a mixture of warm water (99%) and a mild, nonabrasive dish washing detergent (1%). Using a clean cotton or microfiber cloth saturated with this mixture, wipe in a vertical direction while applying light pressure. To disinfect 3D Laminated surfaces, a solution of water (90%) and bleach (10%) is recommended. DO NOT USE abrasive detergents, vinegar-based cleaners, furniture polish, ammonia, lacquer thinner, or any product with acetone, as these may damage the surface of the 3D Laminate. Also, avoid abrasive brushes or scrubbing pads, as they will scratch the surface. Brushy Creek Custom Doors is not responsible for any damage that is caused by abrasive cleaning agents or processes.

Heat Advisory


Because of the effect high heat can have on 3D Laminate products, you must allow adequate room or install a non-3D Laminate filler between 3D Laminate doors / drawers and any stove or oven. Also, advise homeowners to open all doors & fronts near an oven when (1) operating the self-cleaning mode, (2) broiling with the oven door open, or (3) boiling for a significant period of time. This should allow excess heat to vent away from the doors and drawers, reducing the chance of damage. Obvious heat related damage will void any warranty provided by Brushy Creek.

Warranty

MDF & 3D Laminate products that are manufactured and/or sold by Brushy Creek Custom Doors are warranted against defects in the manufacturing process for a period of **5 years** from the date of the original invoice. Complete warranty information, including all terms and conditions, is contained in our Warranty Certificate that is available via download from our website: www.bccdoors.com or via mail by contacting a customer service representative.



Shaker Panel Profiles











Shaker Panel Profiles

DEEP MISSION



WIDE



MISSION



CAROLINA MISSION










BRUNSWICK MISSION







Shaker Panel Profiles

COTTAGE MISSION












COTTAGE DOUBLE BEAD








SHAKER MISSION








HANCOCK MISSION










NEW YORK






COLUMBIA










CHARLESTON










ACCORD









CAROLINA





0.276" deep, 1.339" wide

Frame



HEARTLAND





Door / Drawer Front

0.394" deep, 1.516" wide



CAPTIVA






Door / Drawer Front 0.394" deep, 1.516" wide






GREENVILLE











WILMINGTON





Door / Drawer Front


0.346" deep, 1.378" wide

Frame



ATLANTA







COLONIAL





Door / Drawer Front

0.394" deep, 1.772" wide


Frame

1 0.3125"



STANDARD











SOLO-CUT









CONTOUR












Contemporary Profiles










Options

OUTER EDGE PROFILES






 $^{\rm I}\!B$ oring for Concealed Hinges must be no Less than 6mm Offset from Side of Door.

DESIGNER¹


MDF MELAMINE BACKS




Panel Options

FINGER PULLS


- ♦ Standard pull is 4" or 6" wide and centered.
- ♦ 7/16" high and 3/16" deep into the edge (11mm x 5mm).
- ♦ Specify top or bottom edge when ordering.
- ♦ Non-standard pull sizes and locations available for an additional charge.



HINGE BORING




Hinge Boring Specs in mm:



Hinge boring is available for the concealed hinges using the **Blum** boring pattern. (Standard bore is 79mm from top/bottom edge to center of hole, is with dowel holes, and is at a 3mm (frame) or a 6mm (frameless) offset (side edge to cup hole). Please indicate boring location in the changes column on the order form (bore left or bore right).




Panel Options



MULTIPLE PANELS / MISC OPTIONS

- ♦ Non-standard rails or stiles are available for an additional charge. Special edging (1, 2, or 3 sides only) is available for an additional charge.
- Multi-panels and wainscoting panels are available for an additional charge per panel added. Ordering instructions and specifications are given below:



Order as doors. Indicate your specifications in the changes column on the order form regarding number, size & location of panels, rail & stile sizes, and any special edging required.

- ♦ 2 1/2" rails & stiles and 3" panel divider rails & stiles are standard unless otherwise specified
- ♦ Panels will be divided equally unless otherwise specified.
- Multi-panel edging will match other doors unless otherwise specified.



Specialty Products

CUSTOM TOPS

Closet Islands, Desks, & Tables

Available in 1 inch and 1 1/8-inch MDF



Mudroom Benches



Office Desks



Available in Solids, Wood Grains, Textures & Marbles

Please contact customer service for a quotation or additional information

CUSTOM HEALTHCARE COMPONENTS

Full capability to manufacture healthcare furnishing components to your specifications including:

- Headboards
- Footboards
- Doors & Drawer Fronts
- Overbed Tables
- Medical Carts
- Spill Proof Trays




Please contact customer service for a quotation or additional information

FRAMES

Available in 1, 4, 6, and 8 panes

Frames are available routed or not routed on the back to receive your glass. Please specify your choice. The back rout is 5/16" deep by 9/16" wide and the routed area is unfinished.



The default for the corners of the back rout are rounded but can squared upon request.





MISSION FRAME (Mission/Shaker Mission/Deep Mission)

MISSION #3 FRAME

AUGUSTA MSSION FRAME



CAROLINA FRAME (Carolina / Carolina Mission)



COTTAGE FRAME (Cottage Mission / Cottage DB)



BRUNSWICK FRAME



NEW YORK FRAME (New York / Accord)





ST AUGUSTINE FRAME









BOTTLE RACKS


- ♦ Sold in pairs, priced per piece.
- ♦ 3 1/2" openings.
- ♦ Available in 5, 8, or 11 openings
- Minimum sizes shown. Custom sizes will add to rails & stiles (Minimum 2" rails & stiles.)



VALANCES


Please note: The arch rise is always 1 1/2" high in the center on both the Arch and Scalloped Valances. Drawings shown are not to scale, especially for longer valances. Custom design, including custom rise, must be requested, and is available for an additional fee.





A square outside edge will be applied to valances, unless you very clearly specify different edging instructions on the order form.

FLUTED ACCENT PIECES



- When ordering Fluted Accent Pieces you must specify type of flute, # of flutes per piece, and the size of top and bottom rails.
- The size of the flute must remain as specified in the drawings shown.
- A square outside edge will be applied, unless very clearly specified.
- ♦ Maximum size 48" x 96"
- Minimum sizes Wide Flute: 4" w x 6" h & 2 flutes,
 Designer Flute: 4" w x 6" h & 3 flutes,

Narrow Flute: 2 3/4" w x 6" h & 3 flutes.

MOLDINGS

Moldings are sold in 7' 9" lengths to all freight customers. Molding are sold in 8 ft. lengths to all non-freight customers. All pictures are for illustration only and are not shown to scale.



2-5/8" Crown



3-5/8" Crown



4-3/8" Crown



4-3/8" Cove Crown



4" Top Mount Crown



4" Shaker Top Mount



2-1/2" Traditional Base



4" Traditional Base



2-1/8" Scribe



11/16" Quarter Round



1-1/2" Double Beaded



Brushy Creek CUSTOM DOORS

HINGES & PLATES

CLIP top BLUMOTION Hinge 110°



Clip hinge with dowel	Product number: 71B358180
Use Type	Standard Door
Cabinet Type	Frame or Frameless
Milling Depth	1/2 inch
Closing Mechanism	Soft-Closing



Chip hinge with inserta	Product number: 71B359180
Use Type	Standard Door
Cabinet Type	Frame or Frameless
Milling Depth	1/2 inch
Closing Mechanism	Soft-Closing

CLIP top Hinge 110°



Clip hinge with dowel	Product number: 71T358180
Hinge Type	Clip top
Use Type	Standard Door
Cabinet Type	Frame or Frameless
Door Thickness	Min 5/8 inch



Clip hinge with inserta	Product number: 70T359180
Hinge Type	Clip top
Use Type	Standard Door
Cabinet Type	Frame or Frameless
Door Thickness	Min 5/8 inch

Cam Adapter Plate, Center Mount



Туре	Insert Face Frame
Fixing Type	Screw-On
0 mm Face Frame Mount	Product Number: 175H600180
3 mm Face Frame Mount	Product Number: 175H603180
6 mm Face Frame Mount	Product Number: 175H606180

Self-Adhesive Polyurethane Bumper - 12.7mm x 3.5 mm



Neoprene bumper sold by the sheet	Product Number: BP032111
Diameter	0.5 inch
Thickness	0.138 inch
Pieces per sheet	200

Wood Screw, Flat Head, Phillips Drive, Coarse Thread, Regular Wood Point





5/8" wood screws	Product Number: FPCN658PRM1
Head Type	Flat
Sold by box	Qty 1000

All images on this page are @ Bishelious Hardware Ltd 1069



HINGES & PLATES

COMPACT BLUMOTION 38N Hinge 105° - Soft Close



Overlay	Product Number:
3/8 inch	38N358B06180
1/2 inch	38N358B08180
3/4 inch	38N358B12180

COMPACT 38N Hinge 105° Self Closing



Overlay	Product Number:
3/8 inch	38N35806180
1/2 inch	38N35808180
3/4 inch	38N35812180

CORNER CABINET HINGES

CLIP top Hinge 170° Self Closing



	Product Number:
Clip Top Hinge	71T658180
Milling Diameter	1 3/8 inch
Hinge Opening Angle	+ 170 degrees
Door Thickness	Min 5/8 inch

CLIP top Hinge 170° Inserta design Self Closing



Clip Top Hinge	Product Number: 71T654180
Milling Diameter	1 3/8 inch
Hinge Opening Angle	+ 170 degrees
Door Thickness	Min 5/8 inch

CLIP top Hinge 60° Bi-Fold Spring Closing



	Product Number:
Clip Top Hinge	79T853180
Cabinet Type	Frameless
Door Thickness	Min 5/8 inch
Door Position	Corner/Bi-Fold

All images on this page are © Richeliew Hardware Ltd 1968



SOLIDS & MARBLES PG = Pricing Group 003-Alpine White 623-Ontario White 287-Matte White 450- Glacier White 449-Luxe White 026-Frosty White PG: B PG: C White White White 005-Antique White 067-Bisque 002-Almond 489-Ivory 609-Roja 614-Ashen PG: B PG: B PG: B

Back Options	White Antique White	White Antique White	White Antique White	White Antique White	White Antique White	White Black
	615-Fossil	480-Fjord Green	492-Celadon PG: C	493-Verde	411-Matte Viridian	630-Conifer
Back Options	White Black	White	White Black Celadon	White Black Celadon	White Black	White Black
	491-Mist	604-Smokey Blue	387-Mt. Mysterious	408-Matte Indigo	025-Folkstone Grey	490-Willow
Back Options	White	White	White Black Matte Mysterious	White Black Matte	White Folkstone Grey	White Folkstone Grey
	637-Quarry	284-Cool Grey	333-Fog Grey	061-Brushed Alum	409-Matte Steele	638-Sienna
Back Options	White Folkstone Grey	White	White Fog Grey	White Black	White Black	White Black
	481-Graphite Grey	012-Carbon Fiber PG: D	410-Matte Black	334-Ebony Starlight	009-Black	624-Hudson Noir
Back Options	White Black	White Black	White Black	White Black	White Black	White Black
	601-Champagne	652-Calcutta Marble	415-White Marble	416-Arbesc Marble	418-Beige Marble	417-Graphite Marble
Back Options	Black	Black	Black	Black	Black	Black



COMPLEMENTRY COLORS FOR ARAUCO PRISM TFL

www.prismTFL.com araucona.marketing@arauco.com


	623-Ontario White W100 White	005-Antique White SF100 Victorian White PG: B	002-Almond SF200 Vanilla	609-Roja SF258 Roja PG: C	025-Folkstone Grey SF208 Folkstone
Back Options	White	White Antique White	White Antique White	White Antique White	White Folkstone Grey
	490-Willow SF255 Willow	637-Quarry SF252 Quarry	333-Fog Grey SF213 Fog Grey	614-Ashen SF232 Ashen	615-Fossil SF233 Fossil PG: C
Back Options	White Folkstone Grey	White Folkstone Grey	White Fog Grey	White Black	White Black
	491-Mist SF256 Mist	492-Celadon SF251 Celadon	493-Verde SF257 Verde PG: C	387-Matte Mysterious WF247 Mysterious PG: C	638-Sienna SF230 Sienna PG: C
Back Options	White	White Black Celadon	White Black Celadon	White Black Matte	White Black
	009-Black BLK100 Black PG: B	617-Abiqua Pine WF459 Abiqua Pine PG: D	641-Diva WF375 Diva	494-Urban WF464 Urban <i>PG: D</i>	342-Alabaster WF432 Alabaster PG: D
Back Options	White Black	White Abiqua Pine	White Abiqua Pine	White Antique Urban	White Antique Abiqua Pine
	620-Narvik Ash WF451 Narvik Ash PG: D	621-Bergen Ash WF450 Bergen Ash	622-Sarek Ash WF449 Sarek Ash PG: D	397-Toasted Oak WF447 Toasted Oak	618-Presten Ash WF458 Presten Ash
Back Options	White Antique White	White Antique White	White Sarek	White Antique White Highlands Oak	White Antique White Campania Elme
	343-Argento WF433 Argento	616-Benham Pine WF 460 Benham Pine PG: D	154-Dark Driftwood WF356 Driftwood PG: D	344-Gilbraltar WF434 Gibraltar PG: D	345-Palomino WF435 Palomino
Back Options	White Campania Elme	White Antique White	White	White Black Hudson Cherry	White Antique White





COMPLEMENTRY COLORS FOR ARAUCO PRISM TFL

<u>www.prismTFL.com</u> araucona.marketing@arauco.com





COMPLEMENTRY COLORS FOR EGGER TFL


www.egger.com USA@egger.com

	003-Alpine White W1100 Alpine White	287-Matte White W954 White	025-Folkstone Grey 025-Folkstone Grey	333-Fog Grey U765 Silver Grey	480-Fjord Green U636 Fjord Green
			,,6,5	70.0	
Back Options	White	White	White Folkstone Grey	White Fog Grey	White
	481-Graphite Grey U961 Graphite Grey PG: C	009-Black U999 Black PG: B	640-White Linen F422 White Linen	471-Fineline White H3195 White Fineline PG: D	130-Portuna White H3078 White Havana Pine PG: D
Back Options	White Black	White Black	White	White Abiqua Pine	White Abiqua Pine
	476-Fzn Wood White H1292 Carbon Frozen Wood PG: D	465-Tossini White H1701 White Tossini Elm	472-Fineline Light Grey H3196 Light Fineline Grey PG: D	462-Halifax Oak White H1176 White Halifax Oak	473-Fineline Medium Gre H3197 Mdm Grey Fineline PG: D
Back Options	White Antique White Abiqua	White Antique Urban	White Antique White Ash	White Antique White Urban	White Folkstone Grey Highlands



COMPLEMENTRY COLORS FOR EGGER TFL

www.egger.com USA@egger.com





COMPLEMENTRY COLORS FOR FUNDER TFL

www.funderamerica.com


	021-Designer White 4991 Noble White	450- Glacier White 4941 Nova White	026-Frosty White 4971 McKinley White	067-Bisque 4607 Bisque	002-Almond 2823 Almond
	PG: B	PG: B	PG: B	PG: B	PG: B
Back Options	White	White	White	White Antique White	White Antique White





COMPLEMENTRY COLORS FOR FUNDER TFL


www.funderamerica.com





COMPLEMENTRY COLORS FOR TAFISA TFL

www.tafisa.ca/en.com tafisa@tafisa.ca





COMPLEMENTRY COLORS FOR UNIBOARD TFL

www.uniboard.com/en

	003-Alpine White 300 Classic White PG: A	287-Matte White 505 Artic White	026-Frosty White 505 Artic White PG: B	005-Antique White 810 Antique White PG: B	002-Almond 920 New England Almond PG: B
Back Options	White	White	White	White Antique White	White Antique White
	025-Folkstone Grey 805 Sunset Grey	630-Conifer K68 Conifer PG: C	009-Black 631 Classic Black PG: B	092-Country Maple 992 Hardrock Maple PG: D	082-Classic Maple 290 Classic Maple PG: D
Back Options	White Folkstone Grey	White Black	White Black	White Hardrock Maple	White Hardrock Maple
	634-Cannes K15 Cannes	015-Caramel Apple 262 Sunrise Maple PG: D	055-Summer Flame 263 Sunset Maple PG: C	034-Jubilee Cherry 221 Ruby Cherry PG: D	645-Elmwood H70 Driftwood
Back Options	White	White Caramel Apple	White Summer Flame	White Black Gordon Cherry	White
	636-Samba R63 Samba PG: D	635-Ember H53 Ember	018-Chocolate Apple E19 Chocolate Apple PG: D	019-Chocolate Cherry 207 Choco Cherry PG: D	
Back Options	White Black	White Black	White Black Chocolate Apple	White Black Mocha	



COMPLEMENTRY COLORS FOR KRONOSPAN TFL

www.kronospan.com/en



PRODUCT INFORMATION

Solid Wood Materials

We take great pride in the wood doors and drawer fronts we are able to offer you. Quality solid woods that are available in the industry are used in the manufacturing process. However, you must keep in mind that wood is a natural product, with colors, grain variations, and mineral streaking within each board. All pieces of wood that we put into our products are selected for the best color and grain-match on the face. The back of doors & drawer fronts will not be selected for color and will not be grain matched.

Design Specifications

- All doors and drawer fronts are 3/4" thick
- Standard rails and stiles are 2 1/2" wide on doors.
- Raised and flat panel drawer fronts have standard 1 1/2" wide rails.
- Doors and drawer fronts are manufactured to within +/- 1/16" of the size that you order.
- Door and drawer front minimum sizes: 6 1/4" wide x 6 1/4" high
- Door and drawer front maximum sizes: 26" wide x 96" high
- Frames are available without glass and routed on the back to receive your glass. Please specify if back routing is required.

Wood Species

The wood species that are stocked are shown on the price listing. Other species may be available with extended lead times. Contact our sales department with any special requests and for a quotation.

Warranty

Solid wood products that are manufactured and/or sold by Brushy Creek Custom Doors are warranted against defects in the manufacturing process for a period of 1 year from the date of the original invoice. Complete warranty information, including terms and conditions, contained in our Warranty Certificate that is available via download from our website: www.bccdoors.com or via mail by contacting a customer service representative.





WOOD DOOR GALLERY



STYLE: CATHERDRAL
RAIL & STILE PROFILE: TRIPLE BEAD
PANEL PROFILE: WILLAMSBURG
OUTSIDE EDGE: "" with ROUND STEP
WOOD SPECIES: CHERRY



STYLE: ARCH
RAIL & STILE PROFILE: TRIPLE BEAD
PANEL PROFILE: COLONIAL PANEL
OUTSIDE EDGE: COVE
WOOD SPECIES: HICKORY



STYLE: SQUARE
RAIL & STILE PROFILE: SHAKER
PANEL PROFILE: SHAKER FLAT PANEL
OUTSIDE EDGE: SQUARE
WOOD SPECIES: PAINT GRADE MAPLE



STYLE: SQUARE
RAIL & STILE PROFILE: SHAKER
PANEL PROFILE: REVERSED RECESSED
OUTSIDE EDGE: ¼" with ROUND STEP
WOOD SPECIES: KNOTTY PINE




STYLE: ARCH
RAIL & STILE PROFILE: BEADED
PANEL PROFILE: RICHMOND PANEL
OUTSIDE EDGE: CLASSIC
WOOD SPECIES: ALDER



STYLE: SQUARE
RAIL & STILE PROFILE: SHAKER
PANEL PROFILE: BEADED FLAT PANEL
OUTSIDE EDGE: EASEOVER
WOOD SPECIES: PAINT GRADE MAPLE

SOLID WOOD DOORS & DRAWER FRONTS





REVERSED RECESSED


SHAKER FLAT

BEADED FLAT

SOLID WOOD DOORS & DRAWER FRONTS (CON'T)

Step #4: Choose your outside edge profile

Outside Edge Profiles



Step #5: Choose your wood species

Pricing may change with the market costs. Please feel Free to call for current quote.

- ♦ Paint Grade Maple
- Beech
- ♦ Ash
- ♦ Maple
- Red Oak
- Knotty Pine
- ♦ Alder
- Knotty Alder
- ♦ Cherry
- Rustic Cherry
- Hickory



How to calculate pricing (refer to Pricing Chart for Specifics):

- ♦ Door Base prices are per piece up to 18" wide X 32" high.
- ◆ Drawer Front Base prices are per piece up to 24" wide X 9" high.
- Add cost per linear inch to the base price for oversize inches in width & height.
- Non-standard rails or stiles are available for an additional charge per piece.
- Special edging (1, 2, or 3 sides only) is available for an additional charge per piece.





3383 Brushy Creek Road
Greer, South Carolina 29650
(864)877-9119
customerservice@bccdoors.com